



4200 shower curtain track

for care institutions

The standard in healthcare





Nextcraft Ltd.

Ironmongery, Curtain Rails, Blinds, Flooring, Carpets, Automatic Sliding & Swing Doors, Movable Partitions Renovations & much more

- **** 0722 493 359 / 0726 399 819
- ✓ info@nextcraftke.com
- Gate No. 95A Limuru Road, Parklands.
- www.nextcraftke.com



4200

shower curtain track practical & versatile

The Goelst shower curtain track 4200 is an ideal rail for your shower curtain. The rail can be fitted with suspension hangers to be used in hospitals and care institutions. The Goelst 4200 can even be mounted without a suspension hanger between two walls up to a length of 180 cm. A very popular rail with many applications, such as in the care sector and residential homes.

- The ideal track for all shower curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Silent and smooth running, also round bends.
- Usable with LRS gliders.



Standard colours





High quality, wear-resistant coating, highly colourfast, UV-resistant. Other RAL colours & special coatings on request.

Features

Material: aluminium

Colour: white, natural anodised

Dimensions: 18 x 21 mm
Weight profile: 274 gr/m¹
Mounting: wall or ceiling



Profile specifications

Aluminium profile:



Colours with RAL code and lengths (m):

	RAL	4	5	6	7
white	9010			•	
natural				•	

Mounting surface:

- wood
- masonry/concrete


Bracket type:

- ceiling bracket
- · wall bracket
- · spacer bracket


Bending:

bending radius	bending tool	
R 10 cm	1015	
R 15 cm	1015	
R>100 cm	1018	
R 10 cm	100 cm	


Mounting




Ceilingmounting 4200 with ceiling bracket 5153




Ceilingmounting 4200 with suspension hanger



Wall mounting 4200 with wall bracket 4249



Mounting 4200 with wall bracket 5140



Ceiling mounting 4100, 5100 or 4200: threaded rod set 4055-10, suspension hanger tube 4055-40 and with fixing set 4055-30.





Ceiling mounting with 4255




Application example

Standard shower rail situations and suspension hanger positions









L-shaped (shower)

U-shaped (shower)

Special (for example corner baths)





L-shaped (bath)

Straight rail

Specification guide

Material

- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.



For more information about this track, go to our website: www.goelst.com



Standard parts

Curtain transport



4001-M-N-60

end stop metal with eye natural and RVS hook



4003

spring stop plastic requires punch hole white



4007-60

rotating glider with ss hook, white / grey

Mounting



4249

wall bracket white / grey

Accessories



4145-050

dust cover reel 50m white / grey / black

Optional parts

Curtain transport



4001-M-N

end stop metal with eye natural



4002

end stop metal



4007

rotating glider white/ grey / silver / black



4007-60-LRS

rotating glider LRS grijs / rotating glider LRS red



4007-70

rotating glider with ring, white

Montage



5135

ceiling bracket white / natural metallic



4254

mini suspension hanger 3cm white / natural metallic / black



4255

suspension hanger 50, 100, 150 cm white, natural



4055-10

threaded rod M6 with plug and 2x nut M6, 0-100 cm / 101-200 cm



4055-30-SYST-10

susp.hanger mount.set susp. ceiling, white / natural



4055-30-10

susp. hanger mounting set white / natural



4055-30-LRS-51

susp. hanger mounting set LRS 5100



4055-40

susp. hanger tube 50cm natural, 50 / 100 / 150 cm, one side threaded white / natural / black



5130

connecting bridge white / natural metallic



5140

wall bracket white / grey

Accessories



4253

end cap plastic white / grey



4253-A

aluminium end cap white / natural metallic



5152

connecting bridge naturel



4159-A

threaded insert without foot white



4170

curtain holdback with fixing plate white / natural



4170-IS0

curtain holdback nat. fixing plate, isolated white / natural



4170-M

curtain holdback, magnetic fixing, white

Technical specifications are subject to change without prior notice.







0722 493 359 / 0726 399 819

info@nextcraftke.com

Gate No. 95A Limuru Road, Parklands.

www.nextcraftke.com